

Date received:	26/03/19	CANTARUTTI S.R.L. VIA MAGGIORE 14 33040 PREMARIACCO (UD) ITALIA
Date of issue:	08/05/19	
Report consists of 4 test reports.		
Defects before testing: None		
Sample name:	Poltrona RIBBON con base in metallo girevole	

SAMPLE N° 268533

Overall dimensions: 580 x 550 x 755 (h) mm

List of test reports:

1. Seating durability test - Cyclic - ANSI-BIFMA X5.1-2017/10
2. Stability test ANSI-BIFMA X5.1-2017/11
3. Backrest strength test - Static ANSI-BIFMA X5.1-2017/6
4. Drop test - Dynamic - ANSI- BIFMA X5.1-2017/7



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon


The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

SAMPLE N° 268533

Date of issue: 08/05/19
Sample weight: Not determined
Sample name: Poltrona RIBBON con base in metallo girevole

TEST REPORT

268533 / 1

Revision: 0
Date received: 26/03/19
Date of test: 01/04/19
Date of issue: 08/05/19



CANTARUTTI S.R.L.
VIA MAGGIORE 14
33040 PREMARIACCO (UD)
ITALIA

Sample name: Poltrona RIBBON con base in metallo girevole

Seating durability test - Cyclic - ANSI-BIFMA X5.1-2017/10

Type of chair: Type III

Seat impact test

Height of drop: 36 mm above the uncompressed seat surface

Test results:

Mass of drop kg	Number of drops	Remarks
57	100.000	No defects

Front corner load-ease test - cyclic -off-center

Test results:

Seat load N	Number of cycles	Remarks
890	20.000	No defects

The test results comply with the requirements in clause 10.5 of ANSI-BIFMA X5.1-2017

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Glavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

268533 / 2

Revision: 0
Date received: 26/03/19
Date of test: 02/05/19
Date of issue: 08/05/19



CANTARUTTI S.R.L.
VIA MAGGIORE 14
33040 PREMARIACCO (UD)
ITALIA

Sample name: Poltrona RIBBON con base in metallo girevole

Stability test ANSI-BIFMA X5.1-2017/11

Type of chair: Type III
Clause 11.3.1
Rear stability for chair type III
Seat load: 60 kg
Minimum force required : 146 N
Measured force: > 200 N

Clause 11.3.2
Rear stability for chair type I and II
Loading discs on the seat: /
Note: /

Clause 11.4
Front stability
Vertical load: 61 kg
Minimum force required: 20 N
Measured force: > 30 N

The test results comply with the requirements in clause 11.3.1.3 and 11.4.4 of ANSI-BIFMA X5.1-2017

Unless otherwise specified, measurement uncertainty expanded to a confidence level of about 95% is ± 2 N.

The measurement uncertainties stated in this document have been determined according to UNI CEI 70098-3:2016. They were estimated as expanded uncertainty obtained by multiplying the standard uncertainty by the coverage factor k corresponding to a confidence level of about 95%. Normally $k=2$.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.


Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

268533 / 3

Revision: 0
Date received: 26/03/19
Date of test: 03/05/19
Date of issue: 08/05/19



CANTARUTTI S.R.L.
VIA MAGGIORE 14
33040 PREMARIACCO (UD)
ITALIA

Sample name: Poltrona RIBBON con base in metallo girevole

Backrest strength test - Static ANSI-BIFMA X5.1-2017/6

Type of chair: Type III

Test results:

Back load N	Time of application (minutes)	Remarks
667	1	No defects
1.001	1	No defects

The test results comply with the requirements in clause 6.5 of ANSI-BIFMA X5.1-2017

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

*Managing Director
Dr. Andrea Giavon*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

268533 / 4

Revision: 0
Date received: 26/03/19
Date of test: 03/05/19
Date of issue: 08/05/19



CANTARUTTI S.R.L.
VIA MAGGIORE 14
33040 PREMARIACCO (UD)
ITALIA

Sample name: Poltrona RIBBON con base in metallo girevole

Drop test - Dynamic - ANSI- BIFMA X5.1-2017/7

Type of chair: Type III

Height of drop: 152 mm above the uncompressed seat surface

Test results:

Bag weight kg	Number of drops	Remarks
102	1	No defects
136	1	No defects

The test results comply with the requirements in clause 7.5 of ANSI-BIFMA X5.1-2017

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

*Managing Director
Dr. Andrea Giavon*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.